

The Theatre



Proscenium arch theatre

Capacity: 433

Stalls 314 & Balcony 119

Orchestra pit 46

Stage: Wooden Platform painted black

Depth: 12m, Width: 22.5m, Height: 1m

Pit: Depth centre: 2.5m, Width stalls side 12.5m, width stage side 11.5m.

Proscenium: Width 12.5m, Height 6.5m

Clearance: Stage to grid 16m

Flys and Rigging:

Single Purchase counterweight system

Fly bars @1,2,3,4,8,11,14,17,20,23,26,29,32,35,38,41,44,47,49,50

Maximum bar lifting capacity 500kg

Maximum bar point loading 100kg

Bar length 14.3m, bar extensions 1m.

Rigging from steel 2000kg max point on 7 x I beams 2m apart running upstage downstage @ 19m clearance from stage and 2m clearance from grid.




Drapes etc:

White Cyclorama 15m x 7.5m

1 x Rear Full Black

2 x Black Tabs 2 x 9m, on bi parting Tab track 17mx7.5m

8 x Black legs 2.5m x 7.5m



4 x 15m x 2.5m borders

4 x 5m x 7.5m side masking

1 x DA-LITE 20 x 11 heavy duty fast fold Cinema screen with front and rear projection fabric (Flown from a fixed position in the Theatre)

Red Velour house curtain, teaser and tormentors.

Fire Iron

Sound System



Midas M32 Digital Mixing Console
DL32 Digital Stage Box

Theatre PA:

L Acoustics WIFO system

Left and Right on stage stacks

2 x Arcs Focus

1 x SB18

Front/lip Fills

4 x 5xt

Balcony Fills

3 x X12

Amp/Processor/ Racks

Rack One

Top LA4X: 4 x ARCS left and Right

Bottom LA4X: 2 x SB 18 (2 channels free)

Rack two

LA4X: 4 x 5xt / 3 x X12

6 x EV sxa 250 stage monitors

Various Mics, stands, cables available on request
Sennheiser Hand Held mics , Clip mics & Headset mics available for hire on request.

Intercom:

ASL comms system with 6 belt packs and headsets.

Lighting

Fixtures:

36 x 1.2k strand cantata F
20 x 750w source 4 zooms 15/30
10 x 750w source 4 26 degrees
26 x 1000w Par 64 cp 61
5 x 1000w 4 cell cyc lites

Circuit Layout:


LX 1, LX 2, LX3 & LX4 all have 18 circuits on each bar. This is not Dimmers

Dimmer layout:

Overhead: 47 X 2.5k dimmers & 4 x 5k dimmers available for lx1, lx2, lx3 & lx4
FOH: 30 X 2.5k dimmers
Juliet Stage right & left: 6 X 2.5k dimmers each
Floor/Stage area: 20 X 2.5k dimmers

Desk:

ETC Ion 1024 Channel Control Desk, ETC Console Colour Monitor, ETC Fader Wing



Power:

Lighting power: 200A, 220/315V, 3 Phase

Sound power: 1 x 63A single phase, 4 x 16A 220V single phase

Rigging power: 32A 220/315V, 3 phase in grid

Load in:

Stage level, truck to dock doors, 2m push to stage through upstage flats and roller doors.

The Theatre Standard House Fly Bars Configuration

1	House Curtain		18	No line		35	Legs
2	Teaser		19	No line		36	No line
3	Tormentor		20	Legs		37	No line
4	Free Bar		21	Free bar		38	Border
5	LX 1		22	No line		39	No line
6	No line		23	Free Bar		40	No line
7	No line		24	No line		41	Lx4
8	Free bar		25	Free bar		42	No line
9	No line		26	M/S Black tabs		43	No line
10	No line		27	No line		44	Free bar
11	Legs		28	No line		45	No line
12	No line		29	Lx3		46	No line
13	Free Bar		30	No line		47	Legs
14	Border		31	No line		48	No line
15	No line		32	Free bar		49	Full black
16	No line		33	No line		50	White cyc
17	Lx2		34	No line			



T +353 1 700 7000
F +353 1 700 7110
BOX OFFICE +353 1 700 7000



E info@thehelix.dcu.ie
W www.thehelix.ie



The Helix, DCU
Collins Avenue
Glasnevin, Dublin 9